

From: "Eron Dodak" <edodak@integral-corp.com>
To: "Novak, Madi" <Novak.Elisabeth@epa.gov>
"Michael PINTO" <michael.pinto@totalenergies.com>
CC: rwebb@dofnw.com
"Peterson, Lance" <peteronle@cdmsmith.com>
Date: 9/20/2021 5:29:46 PM
Subject: RE: Arkema Sediment Sampling Start Date
Attachments: ATT00001.txt

Hi Madi,

We are also available at 8 AM tomorrow morning if that works for you (I didn't suggest it because it doesn't give you much notice). Otherwise we can find a timeslot Thursday afternoon. Thanks!

ERON DODAK

Tel: 503.943.3614 | Cell: (b) (6)

INTEGRAL CONSULTING INC.

From: Novak, Madi <Novak.Elisabeth@epa.gov>
Sent: Monday, September 20, 2021 5:18 PM
To: Eron Dodak <edodak@integral-corp.com>; Michael PINTO <michael.pinto@totalenergies.com>
Cc: rwebb@dofnw.com; Peterson, Lance <peteronle@cdmsmith.com>
Subject: RE: Arkema Sediment Sampling Start Date

[CAUTION: External email. Think before you click links or open attachments.]
Thank you Eron,

I'm in the field on Wednesday, but could talk early at 7 am. I'm also available tomorrow or Thursday afternoon.

Madi

From: Eron Dodak <edodak@integral-corp.com>
Sent: Monday, September 20, 2021 5:07 PM
To: Novak, Madi <Novak.Elisabeth@epa.gov>; Michael PINTO <michael.pinto@totalenergies.com>
Cc: rwebb@dofnw.com; Peterson, Lance <peteronle@cdmsmith.com>
Subject: RE: Arkema Sediment Sampling Start Date

Hi Madi,

Richard Fitzgerald at DSL provided us with the public review comments on the DSL permit application. The City of Portland commented on the sewer pressure main that crosses the river just upstream of the railroad bridge. We have had a few meetings with the City to discuss the pressure main and would like to fill you in on the issue and the proposed path forward.

Are you available for a short Teams meeting Wednesday at 10:00 AM? Thanks!

ERON DODAK | Senior Consultant

Tel: 503.943.3614 | Cell: (b) (6)

319 SW Washington Street, Suite 1150 | Portland | OR 97204

edodak@integral-corp.com | www.integral-corp.com

From: Novak, Madi <Novak.Elisabeth@epa.gov>

Sent: Friday, September 3, 2021 11:44 AM

To: Michael PINTO <michael.pinto@totalenergies.com>

Cc: Eron Dodak <edodak@integral-corp.com>; rwebb@dofnw.com; Peterson, Lance <peterstone@cdmsmith.com>

Subject: Re: Arkema Sediment Sampling Start Date

[CAUTION: External email. Think before you click links or open attachments.]



Sorry to hear about the permit issue, but glad you were able to reschedule. Thank you, Madi

Sent from my iPhone

On Sep 3, 2021, at 8:53 AM, Michael PINTO <michael.pinto@totalenergies.com> wrote:

Madi,

We have not yet received our DSL permit required for sediment sampling at the Arkema project area. Integral discussed the status of the DSL permit with Richard Fitzgerald at Oregon DSL yesterday. The permit will not be issued in time for our planned September 13 start date. Richard was not able to provide an estimate on how long it might take to issue the permit, but it sounded like it could be at least several weeks. As a result, we would like to move the anticipated start date for the coring to October 4, contingent upon issuance of the DSL permit. Fortunately our contractor, Gravity, is able to accommodate this schedule. Please let me know if you have any questions or would like to discuss the permit issue. Thanks.

Michael Pinto
RETIA USA LLC/Legacy Site Services LLC
3553 West Chester Pike
#413
Newtown Square PA 19073
Phone: 484 437-1991
< >
< >